

Gru a torre a
braccio impennabile

Luffing boom crane

CTL 205-12



**VT Services
Contracting Pty**

ABN: 88 160 632 422


PO Box 3331

DARRA QLD 4076




COMEDIL

H16




P ₁	985 kN*	1140 kN*
P ₂		60 kN*




R ₁	1820 kN*	2335 kN*
R ₂	1305 kN*	1884 kN*

H20




P ₁	1010 kN*	1140 kN*
----------------	----------	----------




R ₁	1570 kN*	2190 kN*
R ₂	1030 kN*	1720 kN*

H20




P ₁	902 kN*	1100 kN*
----------------	---------	----------




R ₁	1650 kN*	2650 kN**
R ₂	1100 kN*	2160 kN*

* In servizio / In service * Fuori servizio / Out of service

S23



P ₁	995 kN*	1040 kN*
----------------	---------	----------



R ₁	1920 kN*	1785 kN*
R ₂	804 kN*	1364 kN*

Dimensioni in metri / Dimensions are expressed in meters

Potenza totale richiesta Necessary power supply
*150 KVA

Argani Winches
AWL 7000/D1 + AWL 7008

Corrente Trifase Three-phase Current
400/440 V - 50/60 Hz

* Gru senza traslazione - Crane without travelling system

Sollevamento - Hoisting		m/min	t	HP	kW	
AWL 7008		0 - 36	8,0	75	55	440 m max > 440 m consultateci consult us
		0 - 50	5,6			
		0 - 68	4,0			
		0 - 95	2,8			
		0 - 110	1,2			
		0 - 24	12,0			
		0 - 33	8,5			
		0 - 45	6,1			
		0 - 63	4,2			
		0 - 73	1,8			

Brandeggio - Luffing		AWL 7000/D1	2,5 min	70 HP	51 kW
Rotazione - Slewing		DCU	0 - 0,8 r.p.m.	2 x 15 HP	2 x 11 kW
Traslazione - Travelling 		2RG 4M4	0-24 m/min	4 x 5,5 HP	4 x 4 kW

CTL 205 - 12



Gru Comedil srl
Via S. Egidio 42/A - 33074 Fontanafredda (Pn) - Italy
Tel. 0434/997580 - Telefax 0434/998631

Casagrande Group

In accordo con le normative C.E.E. 87/405 riguardanti il livello acustico.
In accordance with C.E.E. standards 87/405 for the acoustic level.



**VT Services
Contracting Pty Ltd**
ABN: 88 160 632 422
PO Box 3331
DARRA QLD 4076